

**K I N G**



DT2024241-V1

[kingliving.com](http://kingliving.com)

King Cloud Classic


# King Cloud Classic

## General Components


### Recliner Modules

Front View shown without Arms


#### 700R Module



#### 800R Module






#### 900R Module



### Modules 700R | 800R | 900R

Side View shown without Arms




### Legs

Leg (Standard)




Leg-High




### Arms Compact LH | RH

Front | Side View  
Leather Detail




### Arm Compact SMART LH | RH

For SMART Accessories: Lights | Tables  
Front | Side View  
Leather Detail | SMART Locations




### Arm Wide LH | RH

Front | Side View  
Leather Detail



### Arm Wide SMART LH | RH

For SMART Accessories: Lights | Tables  
Front | Side View  
Leather Detail | SMART Locations



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


# King Cloud Classic

## Media Components


### Media Consoles

For in between modules

#### Media Console Compact




#### Media Console Wide



#### Media Console Compact SMART

SMART Pockets (rear)


For SMART Accessories: Lights | Tables



#### Media Console Wide SMART

SMART Pockets (rear)

For SMART Accessories: Lights | Tables




#### Media Console Storage XW SMART (Extra Wide)

SMART Pocket (rear) for SMART Accessories:

Brackets | Lights | Tables | Wireless Device Charging

Storage: **W** 220mm (8.75") x **L** 832mm (32.75") x **H** 440mm (17.25")




#### Media Console Storage XW SMART Charge (Extra Wide)

SMART Pocket (rear) for SMART Accessories:

Brackets | Lights | Tables | Wireless Device Charging

Storage: **W** 220mm (8.75") x **L** 832mm (32.75") x **H** 440mm (17.25")



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

# King Cloud Classic

## Media Components | SMART Pocket Accessories

### Media Consoles: Wedge

For in between modules


#### Media Console Wedge S Compact SMART

SMART Pocket (rear) for SMART Accessories:

Brackets | Lights | Tables | Wireless Device Charging

Storage:

W 220mm/50mm (8.75"/2") x L 832mm (32.75") x H 440mm (17.25")




#### Media Console Wedge S Wide SMART

SMART Pocket (rear) for SMART Accessories:

Brackets | Lights | Tables | Wireless Device Charging

Storage:

W 300mm/130mm (11.75"/5") x L 832mm (32.75") x H 440mm (17.25")




#### Media Console Wedge S Wide SMART Charge

SMART Pocket (rear) for SMART Accessories:

Brackets | Lights | Tables | Wireless Device Charging


Storage:

W 300mm/130mm (11.75"/5") x L 832mm (32.75") x H 440mm (17.25")




### Optional SMART Pocket Accessories

#### Table 350 Round



#### Charge Table 350 Round




#### King Sofa Light LED



#### SONOS Bracket

Compatible with:  
SONOS Play 1; SONOS One; SONOS One SL



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

**K I N G**



DT202/241-V1

[kingliving.com](http://kingliving.com)

King Cloud Classic Packages

# King Cloud Classic


## 3-Seaters

### Dimensions | Configurations: Modules


**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)

**XW** (Extra Wide) | Configurations | Dimensions | Drawings shown with SMART components


#### 3 Seater Recliner with Extra Wide Seats and Wide Arms 3240mm W | 3 STR 900RW




#### 3 Seater Recliner with Wide Seats and Wide Arms 2940mm W | 3 STR 800RW




#### 3 Seater Recliner with Compact Arms 2495mm W | 3 STR 700RC




#### 3 Seater Recliner with Extra Wide Seats and Wide SMART Pockets 3240mm W | 3 STR 900RW SMART



#### King Cloud Classic 3 Seater Recliner with Wide Seats and SMART Pockets 2940mm W | 3 STR 800R SMART



#### 3 Seater Recliner with Compact SMART Pockets 2495mm W | 3 STR 700RC SMART



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

# King Cloud Classic


## 3-Seaters

### Dimensions | Configurations: Modules


**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)

**XW** (Extra Wide) | Configurations | Dimensions | Drawings shown with SMART components


#### 3 Seater Recliner with Wide Seat and Compact Arms 2780mm W | 3 STR 800RC




#### 3 Seater Recliner with Wide Seat and Compact SMART Arms 2780mm W | 3 STR 800RC SMART



#### 3 Seater Recliner with Wide Arms 2655mm W | 3 STR 700RW



#### 3 Seater Recliner with Wide SMART Pockets 2655mm W | 3 STR 700RW Smart



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

# King Cloud Classic


## 2.5-Seaters | 2-Seaters

### Dimensions | Configurations: Modules


**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)

**XW** (Extra Wide) | Configurations | Dimensions | Drawings shown with SMART components


**2.5 Seater Recliner with Extra Wide Seats and SMART Pockets 2340mm W | 2.5 STR 900RW SMART**




**2 Seater Recliner with Wide Seats and Wide Arms 2140mm W | 2 STR 800RW**




**2 Seater Recliner with Wide Seats and Compact Arms 1980mm W | 2 STR 800RC**




**2 Seater Recliner with Wide Arms 1950mm W | 2 STR 700RW**




**2 Seater Recliner with Compact Arms 1790mm W | 2 STR 700RC**




**King Cloud Classic 2.5 Seater Recliner with Extra Wide Seats and SMART Pockets 2340mm W | 2.5 STR 900RW SMART**




**King Cloud Classic 2 Seater Recliner with Wide Seats and SMART Pockets 2140mm W | 2 STR 800RW SMART**




**2 Seater Recliner with Wide Seats and Compact SMART Pockets 1980mm W | 2 STR 800RC SMART**



**2 Seater Recliner with Wide SMART Pockets 1950mm W | 2 STR 700RW SMART**



**2 Seater Recliner with Compact SMART Pockets 1790mm W | 2 STR 700RC SMART**



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


# King Cloud Classic

## Armchairs


### Dimensions | Configurations: Armchairs

**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables)


#### Recliner Armchair with Extra Wide Seat and Wide Arms 1440mm W | Armchair 900RW




#### Recliner Armchair with Wide Seat and Compact Arms 1180mm W | Armchair 800RC




#### Recliner Armchair with Compact Arms 1085mm W | Armchair 700RC




#### Recliner Armchair with Extra Wide Seat and Wide SMART Pockets 1440mm W | Armchair 900RW SMART



#### Recliner Armchair with Wide Seat and Compact SMART Pockets 1180mm W | Armchair 800R SMART



#### Recliner Armchair with Compact SMART Pockets 1085mm W | Armchair 700RC SMART



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

# King Cloud Classic

## Modules + Media Consoles | General Dimensions

**Dimensions | Configurations: Modules + Media Consoles** (MC or MC Wedge)

**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables) | **CHARGE** (Wireless Device Charging)

**XW** (Extra Wide) | Configurations | Dimensions | Media Console shown with CHARGE option

### 2.5 Seater 900RW + Media


2x 900R, 2x ArmWide,  
1x MC Storage XW SMART

### 2.5STR 900RW + Media SMART

2x 900R, 2x ArmWide SMART,  
1x MC Storage XW SMART

### 2.5 Seater 900RW + Media SMART Charge

2x 900R, 2x ArmWide SMART,  
1x MC Storage XW SMART Charge



2670mm (105.25")

### 2 Seater 800RW + Media


2x 800R, 2x ArmWide,  
1x MC Storage XW SMART

### 2 Seater 800RW + Media SMART

2x 800R, 2x ArmWide SMART,  
1x MC Storage XW SMART

### 2 Seater 800RW + Media SMART Charge

2x 800R, 2x ArmWide SMART,  
1x MC Storage XW SMART Charge



2470mm (97.25")

### 2 Seater 700RW + Media Console


2x 700R, 2x ArmWide,  
1x MC Storage XW SMART

### 2 Seater 700RW Media SMART

2x 700R, 2x ArmWide SMART,  
1x Media Console Storage XW SMART

### 2 Seater 700RW Media SMART Charge

2x 700R, 2x ArmWide SMART,  
1x MC Storage XW SMART Charge



2280mm (89.75")

### 2 Seater 700RC Media


2x 700R, 2x ArmCompact,  
1x MC Storage XW SMART

### 2 Seater 700RC Media SMART

2x 700R, 2x ArmCompact SMART,  
1x Media Console Storage XW SMART

### 2 Seater 700RC Media SMART Charge


2x 700R, 2x ArmCompact SMART,  
1x MC Storage XW SMART Charge



2120mm (83.50")

### 3 Seater 900RC + MC Wedge Storage SMART


3x 900R, 2x ArmCompact SMART,  
2x MC Wedge Storage Compact SMART



3730mm (147")

### 3 Seater 800RC + MC Wedge Storage SMART


3x 800R, 2x ArmCompact SMART,  
2x MC Wedge Storage Compact SMART



3430mm (135")

### 3 Seater 700RC + MC Wedge Storage SMART

3x 700R, 2x ArmCompact SMART,  
2x MC Wedge Storage Compact SMART



3150mm (124")

Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward.

The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

# King Cloud Classic

## Modules + Media Consoles | General Dimensions

**Dimensions | Configurations: Modules + Media Consoles** (MC or MC Wedge)


**RW** (Recliner + Wide Arms) | **RC** (Recliner + Compact Arms) | **SMART** (SMART Arms compatible with SMART Accessories: Brackets | Lights | Tables) | **CHARGE** (Wireless Device Charging)

**XW** (Extra Wide) | Configurations | Dimensions | Media Console shown with CHARGE option

### 3 Seater 800RW + Media Wedge Wide SMART

3x 800R, 2x ArmWide SMART,


2x MC Wedge Wide SMART



### 3 Seater 700RC + Media Console Storage XW SMART

3x 700RC, 2x ArmCompact SMART,

2x MC Media Console Storage XW SMART



Information Published February 2026. The weight limit for the King Cloud Classic recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.