

King Cloud III

KING[®]
L I V I N G



kingliving.com

King Cloud III Components


Standard Chair Modules:

Shown without Arms


700 Module



800 Module





900 Module



Modules 700 / 800 / 900


Closed




*Recliner Chair Modules:

Shown without Arms


700 R Module



800 R Module





900 R Module



Modules 700 R / 800 R / 900 R


Closed



Arms


Arm Compact

Front LH & RH
Side Leather Detail




Arm Compact SMART Pockets™

Front LH & RH
Side Leather Detail




Arm Wide

Front LH & RH
Side Leather Detail



Arm Wide SMART Pockets™

Front LH & RH
Side Leather Detail



Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.

King Cloud III Components


Media Consoles

For in between modules

MC Compact

Media Console Compact
NO POCKETS


Front Back Side View



MC Wide

Media Console Wide
NO POCKETS


Front Back Side View



MC Storage XW SMART

Media Console Extra Wide
with Storage, Timber Tray Top and SMART Pockets™ (back only)


Front Back Side View



MC Compact SMART

Media Console Compact
with SMART Pockets™ (front & back)


Front Back Side View




MC Wide SMART

Media Console Wide
with SMART Pockets™ (front & back)

Front Back Side View



Top View



Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.

Components & Accessories


Media Consoles

MC Wedge S Compact SMART

Media Console Wedge Compact for in between modules, with Storage, Timber Tray Top and SMART Pockets™ (back)

Top View


338 (13.25")



160
(6.25")

996
(39.25")

Side View



500
(19.75")

1000 (39.25")

MC Wedge S Wide SMART

Media Console Wedge Wide for in between modules, with Storage, Timber Tray Top and SMART Pockets™ (back)

Top View


418 (16.25")



240
(9.5")

996
(39.25")

Side View



500
(19.75")

1000 (39.25")

Accessories

KingCloud III Round Table

350 (13.75")



KingCloud III Charging Table

350 (13.75")



King Sofa Light LED



SMART Speaker Brackets (Pair)

Sonos One | Sonos Play 1

Side View / Top View

120 (4.75")



160
(6.25")

120 (4.75")



120
(4.75")

Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.

King Cloud III Packages

KING[®]
L I V I N G




kingliving.com

King Cloud III Packages

3 STR 900RW

3x Chair 900 Module R,
2x Arm Wide




1040
(41")

3240 (127.5")

3 STR 800RW

3x Chair 800 Module R,
2x Arm Wide




1040
(41")

2940 (115.75")

3 STR 700RW

3x Chair 700 Module R,
2x Arm Wide




1040
(41")

2640 (104")

3 STR 700RC

3x Chair 700 Module R,
2x Arm Compact



1040
(41")

2480 (97.75")

3 STR 900RW SMART

3x Chair 900 Module R,
2x Arm Wide SMART




1040
(41")

3240 (127.5")

3 STR 800RW SMART

3x Chair 800 Module R,
2x Arm Wide SMART




1040
(41")

2940 (115.75")

3 STR 700RW SMART

3x Chair 700 Module R,
2x Arm Wide SMART



1040
(41")

2640 (104")

3 STR 700RC SMART

3x Chair 700 Module R,
2x Arm Compact SMART



1040
(41")

2480 (97.75")

Armchair 900RW

1x Chair 900 Module R,
2x Arm Wide



1040
(41")

1440 (56.75")

Armchair 900RW SMART

1x Chair 900 Module R,
2x Arm Wide SMART




1040
(41")

1440 (56.75")

3 STR 700RFR

2x Chair 700 Module R,
1x Chair 700 Module F,
2x Arm Compact



1040
(41")

2480 (97.75")

3 STR 700RFR SMART

2x Chair 700 Module R,
1x Chair 700 Module F,
2x Arm Compact



1040
(41")

2480 (97.75")


Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.

King Cloud III Packages


2.5 STR 900RW

2x Chair 900 Module R,
2x Arm Wide




2 STR 800RW

2 x Chair 800 Module R,
2x Arm Wide




2 STR 700RW

2x Chair 700 Module R,
2x Arm Wide




2 STR 700RC

2 x Chair 700 Module R,
2x Arm Compact




2.5 STR 900RW SMART

2x Chair 900 Module R,
2x Arm Wide SMART




2 STR 800RW SMART

2 x Chair 800 Module R,
2x Arm Wide SMART




2 STR 700RW SMART

2x Chair 700 Module R,
2x Arm Wide SMART




2 STR 700RC SMART

2 x Chair 700 Module R,
2x Arm Compact SMART




Armchair 800RC

1x Chair 800 Module R,
2x Arm Compact




Armchair 800RC SMART

1x Chair 800 Module R,
2x Arm Compact SMART




Armchair 700RC

1x Chair 700 Module R,
2x Arm Compact



Armchair 700RC SMART

1x Chair 700 Module R,
2x Arm Compact SMART



Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.


IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.

Media Consoles

Configurations & Dimensions with Media & Media Wedge


2.5 STR + Media

2x Chair 900 Module R, 2x Arm Wide,
1x MC Storage XW SMART




2 STR 800RW + Media

2x Chair 800 Module R, 2x Arm Wide,
1x MC Storage XW SMART




2 STR 700RW + Media

2x Chair 700 Module R, 2x Arm Wide,
1x MC Storage XW SMART




2 STR 700RC + Media

2x Chair 700 Module R, 2x Arm Compact,
1x MC Storage XW SMART



2.5 STR + Media SMART

2x Chair 900 Module R, 2x Arm Wide SMART,
1x MC Storage XW SMART




2 STR 800RW + Media SMART

2x Chair 800 Module R, 2x Arm Wide SMART,
1x MC Storage XW SMART




2 STR 700RW + Media SMART

2x Chair 700 Module R, 2x Arm Wide SMART,
1x MC Storage XW SMART




2 STR 700RC + Media SMART

2x Chair 700 Module R, 2x Arm Compact SMART,
1x MC Storage XW SMART




3 STR 700RC + Media Wedge

3x Chair 700 Module R, 2x Compact Arm,
2x MC Wedge S Compact SMART



3 STR 700RC + Media Wedge SMART

3x Chair 700 Module R, 2x Compact Arm Smart,
2x MC Wedge S Compact SMART



Effective January 2019. *R Modules use TouchGlide® Technology. The weight limit for the recliner mechanism used in King Cloud III is 120kg (264.5lb). The weight limit for King Cloud III footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height: 415 (16.5") Width: 220 (8.75") Depth: 640 (25.25"). As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

IMPORTANT: ALWAYS FULLY RETRACT THE FOOTREST BEFORE SITTING IN OR GETTING OUT OF THE RECLINER. To avoid damage to your recliner, the reclining function should only be operated when you are seated in the recliner. Any open footrests, which have a 15kg (33lb) weight limit, must be closed before getting out of or into the seat. Sliding forward over the footrest to get out of the seat or getting into a fully reclined seat may cause damage to the mechanism of the recliner and can result in the sofa tipping forward in extreme cases. This built-in tipping point was specifically designed to preserve the integrity of the mechanism if too much pressure is placed on it and to avoid permanent damage. Damage caused by improper use of Recliners will not be covered under Warranty.