



K I N G

DT2026041-V2
kingliving.com

King Cinema


King Cinema

Chair Modules


Front View
Dotted Seam Line: Leather



Modules 700R | 800R | 900R
Side View



Modules 700F | 800F | 900F (Chair & Chaise)
Side View



R: Recliner F: Fixed


Chair 700R 700mm (27.5")	Chair 800R 800mm (31.5")	Chair 900R 900mm (35.5")
1080mm (42.5") 500mm (19.75") 1110mm (43.75")	1080mm (42.5") 500mm (19.75") 1210mm (47.75")	1080mm (42.5") 500mm (19.75") 1310mm (51.75")
Chair 700F 700mm (27.5")	Chair 800F 800mm (31.5")	Chair 900F 900mm (35.5")
1080mm (42.5") 1110mm (43.75")	1080mm (42.5") 1210mm (47.75")	1080mm (42.5") 1310mm (51.75")
Chaise 700F 700mm (27.5")	Chaise 800F 800mm (31.5")	Chaise 900F 900mm (35.5")
1600mm (63") 1110mm (43.75")	1600mm (63") 1210mm (47.75")	1600mm (63") 1310mm (51.75")

Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


King Cinema

Arms | SMART Pocket Accessories


Arms LH
Front | Side View
Leather Detail



Arms RH
Front | Side View
Leather Detail



SMART Arms LH
Front | Side View
Leather Detail



SMART Arms RH
Front | Side View
Leather Detail






Table 350 Round




Charge Table 350 Round



King Sofa Light LED



SONOS Bracket
Compatible with:
SONOS Play 1; SONOS One; SONOS One SL




Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema

Curve Corner Modules


Curved Corner Wide

Side View | Top View
Leather (seam) : Fabric (no seam)




Compatible with Recliners on either side.

Cannot be attached to arm or media console.




Curved Corner

Side View | Top View




Must have fixed chair on at least one side to avoid footrest collision.

Cannot be attached to arm or media console.




45 Degree Corner

Side View | Top View
Leather (seam) : Fabric (no seam)



Compatible with Recliners on either side.

Cannot be attached to arm or media console.




Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema


Media Consoles

SMART: Compatible with optional SMART Pocket™ accessories
CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories


Media Console Compact:
with Storage:
W 80mm (3") x **L** 775mm (30.5") x **H** 412mm (16.25")
Option: **SMART** / or Standard




Media Console Wide
with Storage:
W 160mm (6.25") x **L** 775mm (30.5") x **H** 412mm (16.25")
Option: **SMART** / or Standard




Media Console Wide Wedge
with Storage:
W 120mm/220mm (4.75"/8.75") x **L** 785mm (31") x **H** 349mm (13.75")
Option: **CHARGE** / or Standard




Media Console XW
with Storage:
W 220 (8.75") x **L** 775 (30.5") x **H** 349 (13.75")
Option: **CHARGE** / or Standard



Open:
Storage Access



Open:
Storage Access




Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema

Operation | User Guide


Premiere

Gesture Control and Memory settings



Gesture Control


Swipe forward for Automatic Open.
Swipe backward to Close



IR Safety

Obstacle Detect

Setting Memory Positions:
Manually adjust your recliner to the desired position before setting the memory position



Memory Position 1:
Press and hold Button 1 and 3 for 8 seconds

① + ③ ⌚ 8 sec.

•• ⤴ Swipe forward once to activate


Memory Position 2:
Press and hold Button 2 and 4 for 8 seconds

② + ④ ⌚ 8 sec.

•• ⤴ •• ⤴ Swipe forward twice to activate

Classic

Standard Operation



Push to operate


Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema


Packages

SMART: Compatible with optional SMART Pocket™ accessories
R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module


Modules can be positioned
anywhere within the
modular layout




King Cinema Classic/Premiere 3-Seater RFC 700R




King Cinema Classic/Premiere 3-Seater RFC 700R MEDIA SMART




King Cinema Classic/Premiere 3-Seater RFC 800R




King Cinema Classic/Premiere 3-Seater RFC 800R MEDIA SMART



King Cinema Classic/Premiere 3-Seater RFC 900R



King Cinema Classic/Premiere 3-Seater RFC 900R MEDIA SMART



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema

Packages

SMART: Compatible with optional SMART Pocket™ accessories


CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories

R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module


Configurations: Shown with Media Console XW

Option: **CHARGE** / or Standard


King Cinema Classic/Premiere 3-Seater 700R SMART




King Cinema Classic/Premiere 3-Seater 700R SMART with Media Console XW




King Cinema Classic/Premiere 3-Seater Recliner with Wide Seats and SMART Pockets 2810mm W | 3 STR 800R SMART




King Cinema Classic/Premiere 3-Seater 800R SMART with Media Console XW



King Cinema Classic/Premiere 3-Seater 900R SMART



King Cinema Classic/Premiere 3-Seater 900R SMART with Media Console XW



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.


King Cinema

Packages


SMART: Compatible with optional SMART Pocket™ accessories
CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories
R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module

Configurations: Shown with Media Console XW
Option: **CHARGE** / or Standard


King Cinema Classic/Premiere 2-Seater 700R SMART




King Cinema Classic/Premiere 2-Seater 700R MEDIA SMART with Media Console XW




King Cinema Classic/Premiere 2-Seater Recliner with Wide Seats and SMART Pockets 2010mm W | 2 STR 800R SMART




King Cinema Classic/Premiere 2-Seater 800R MEDIA SMART with Media Console XW



King Cinema Classic/Premiere 2.5-Seater Recliner with Extra Wide Seats and SMART Pockets 2210mm W | 2.5 STR 900R SMART



King Cinema Classic/Premiere 2.5-Seater 900R MEDIA SMART with Media Console XW



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema

Packages

SMART: Compatible with optional SMART Pocket™ accessories

CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories


R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module

Configurations: Shown with Media Console XW

Option: **CHARGE** / or Standard


King Cinema Classic/Premiere 2-Seater 700R MEDIA SMART

with Media Console Wide Wedge




King Cinema Classic/Premiere 3-Seater 700R MEDIA SMART

with 2x Media Console Wide Wedge




King Cinema Classic/Premiere 2-Seater 800R MEDIA SMART


with Media Console Wide Wedge



King Cinema Classic/Premiere 3-Seater Recliner with Wide Seats, 2 Media Consoles and SMART Pockets 3326mm W | 3 STR 800R Media SMART




King Cinema Classic/Premiere 2.5-Seater Recliner with Extra Wide Seats, Media Console and SMART Pockets 2460mm W | 2.5 STR 900R Media SMART



King Cinema Classic/Premiere 3-Seater 900R MEDIA SMART

with 2x Media Console Wide Wedge



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema


Packages

SMART: Compatible with optional SMART Pocket™ accessories


CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories

R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module


King Cinema Classic/Premiere 4-Seater Recliner with Corner Module and SMART Pockets | 4-Str 800R




King Cinema Classic/Premiere 4-Seater recliner with Compact Curve Corner and SMART Arms 800R



King Cinema Classic/Premiere 4-Seater Recliner with 45° Curve Corner and SMART Pockets



King Cinema Classic/Premiere 4 Seater Recliner with Corner Module and SMART Pockets MEDIA SMART | 4-Str 800R



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema


Packages

SMART: Compatible with optional SMART Pocket™ accessories


CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories

R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module

King Cinema Premiere 4 Seater Recliner with
Compact Curve Corner and SMART Arms
MEDIA CONSOLE 800R



King Cinema Premiere 4 Seater Recliner
with 45 Degree Curve Corner and
SMART Arms MEDIA CONSOLE 800R




Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.

King Cinema


Packages

SMART: Compatible with optional SMART Pocket™ accessories
CHARGE: Wireless device charging | Compatible with optional SMART Pocket™ accessories
R: Recliner Module | **F:** Fixed Chair Module | **C:** Chaise Module


King Cinema 4-Seater with Corner Module
| 4-Seater 800F




King Cinema 4-Seater with Corner Module
| 4-Seater 700F



King Cinema 4-Seater with Corner Module
MEDIA SMART | 4-Seater 700F



King Cinema 4-Seater with Corner Module
MEDIA SMART | 4-Seater 800F



Information Published September 2026. King Cinema Premiere uses TouchGlide® Technology. The weight limit for the recliner mechanism is 130kg (286.5lb). The weight limit for the footrest is 15kg (33lb). Maximum allowable subwoofer dimensions: Height 415mm (16.5"), Width 220mm (8.75"), Depth 640mm (25.25"). **IMPORTANT: SAFE USE INSTRUCTIONS:** Always fully retract the footrest before sitting down or getting up. Do not enter or exit the seat while reclined or by sliding over an open footrest. Only operate the reclining function while seated. Do not sit, stand or apply excessive pressure to an open footrest. Failure to follow these instructions may result in damage to the mechanism or cause the sofa to tip forward. The recliner includes a built-in safety tipping point designed to protect the mechanism under excessive load. Damage caused by improper use is not covered under warranty. King Living has a policy of continuous improvement; product specifications may change without prior notice. Images and drawings are representative only. Accessories not included unless stated.